

"SLASHBUSTER"® XL 480S

Excavator Mounted Brush Cutter Attachment

Exclusive
Worldwide
Patents

The Most
Versatile
Cutter
Available



180 Degree Hydraulic Rotating Shroud
Easy Side Limbing • Cut Any Direction



"SLASHBUSTER"[®]

XL 480S

Excavator Mounted Brush Cutting Attachment

General Specifications

- 48" cutting swath
- Cuts and mulches brush and trees 6" to 8" diameter
- Adaptable to 28,000 to 59,000-lb excavators
- Optional wheel speeds to 800RPM
- 2,900-lb. total weight*
- Automatic wire shear
- Rotating hub debris guard
- Cutting disk with S-7 cast and hardened teeth
- Options:
 - Available to operate with standard bucket thumb
 - Available to match any bucket quick disconnect
 - "VCP" Remote spot herbicide applicator
 - Ninety-degree tilt mount



Basic Installation Requirements:

- Hydraulic:
 - Continuous service dual pump priority flow circuit required
 - 44 GPM* flow maximum
 - 3,000 PSI maximum hydraulic pressure
 - Three position directional control valve with motor spool desirable
 - Dual acting cylinder circuit with 15 GPM, 2500 PSI for thumb
- "SLASHBUSTER"[®] attachments are provided with integral crossport relief and anti cavitation check valves
- Electric:
 - 20 AMP auxiliary circuit recommended
 - Foot-operated master On-Off switch recommended
 - Cab mounted control for forward, neutral and reverse with indicator light recommended
 - Joystick control handles with trigger switches to operate material handler, shroud rotation and tilt mounting



Loading debris for disposal with integrated material handler

Note: It is recommended that the excavator is provided with a hinged front screen guard for the front of the cab that meets or exceeds SAE J1084 specs.

"SLASHBUSTER"[™][®]

Unmatched in Performance,
Reliability and Output

D&M "SLASHBUSTER"[®] Equipment is the Most Advanced State-of-the-Art Brushcutting and Clearing Equipment Known.



Tilt mounting available to improve performance on uneven terrain.



D&M Machine Division, Inc.

12 Monte-Brady Road Montesano, WA 98563
(360) 249-3366

email: info@slashbuster.com
www.slashbuster.com

Exclusive Manufacturer of "SLASHBUSTER"[®] Equipment

THIS EQUIPMENT IS PROTECTED BY ONE OR MORE OF THE FOLLOWING PATENTS: 4,769,977; 5,103,882; 5,201,350; 5,329,752; 5,408,814; S/N 08/720,536; AUSTRALIAN PATENTS; 600716; 618679; 652131; 654411; 665724; CANADIAN PATENTS; 1,281,908; 2,084,971; NEW ZEALAND PATENTS; 245249; 270419; EUROPEAN PATENT 0298977, REGISTERED IN GB, FR, IT, CH, NL, BE (298977E), DE (37793098), AT (0076250E), SE (879019487); AND PATENTS PENDING IN THE UNITED STATES, AUSTRALIA, CANADA, EUROPE, FINLAND AND NEW ZEALAND.